



MARK Speciality (India) Pvt. Ltd.

PERFORMANCE AT THE CORE
METAL WORKING FLUIDS



MACHINES LIFELINE



MACHINES LIFELINE

MARK Speciality (India) Pvt. Ltd.

WATER MISCIBLE CUTTING FLUIDS

Product	Description & Recommendation	Proprties
SOL	General purpose soluble cutting oil, Used for multiple applications across Industry	Milky Emulsion
Super SOL	Multipurpose soluble cutting oil compatible with all type of metal	Milky Emulsion
Hysol SUPER	High performance soluble oil for all types of machining opearions, compatible with all types of metal	Milky Emulsion

PREMIUM SEMI SYNTHETIC COOLANTS

Enduro SS 5301	Product designed for grinding and light machining operations for ferrous material	Transparent emulsion
Enduro SS 6201	Product designed for light to moderate duty application for ferrous machining	Translucent emulsion
Enduro SS 2850	Product designed for moderate to heavy duty application for ferrous & non-ferrousmachining	Milky emulsion
Enduro SS 8820	Product designed for light to moderate duty application for ferrous machining	Translucent emulsion
Enduro SS 5601	Product designed for light to moderate duty application for ferrous machining	Translucent emulsion
Enduro SS 8830	Muti-metal multi-operation product for ferrous and non-ferrous , proven product for its versatility.An ideal product for machining shop doing job work	Milky Emulsion
Enduro SS 6501	Muti-metal multi-operation product for ferrous and non-ferrous , proven product for its versatility.	Milky Emulsion
Enduro SS 4081	Product designed and fortified with additives for machining for Aluminium and its alloys, can be used for Aero series.	Milky Emulsion
Enduro SS 785	Premium Product designed and fortified with additives for heavy duty machining of ferrous and non-ferrous material, recommended for centralised tanks.	Milky Emulsion
Enduro SS 6505	Product designed for machining of cast-iron for extended period without change in sump colour	Translucent emulsion



MACHINES LIFELINE

MARK Speciality (India) Pvt. Ltd.

NEAT CUTTING OILS BASKET

ProCut 35	Neat oil designed with EP additives for gear hobbing, cutting, shaving operations. Also recommended for general	32 cst Active
ProCut 1012	Oils formulated for gear hobbing, shaving, cutting for new generation high speed machines	32 cst Active
ProCut Vario 35	Ester based Oil for heavy duty high speed machining for all types of application	32 cst Inactive
ProCut DP46	Dual Purpose oil suitable hydraulic systems and gear hobbing operations	46 cSt , Non-Staining
ProCut Broach20	Product designed keeping in mind the severity of operation in Broaching	17 cst , Active
ProCut Gundrill 12	Especially formulated for deep hole drilling operations for excellent surface finish and flushing	12-14 cSt, Active
ProCut NC CF 32/68/100/150	High performance cold forging oil for fastener industries suitable for mild to severe operations.	32 to 150 cSt, Active / Inactive
ProCut Hone 5S	Optimum viscosity oil recommended for honing and mild machining operations	chlorine & sulphur free inactive / 4-5 CSt
ProCut Mist 46	Mineral based anti-mist oils	45 cSt , Non-Staining
ProCut Mist CN 40	Synthetic based anti- misting oils for heavy duty applications	45 cSt , Non-Staining
ProCut EDM Oil	Oils designed for Electric Discharge Machining popularly known as EDM oils	2.3-3.3 cSt Non-Staining
ProCut Draw 16AL	Oils designed for Aluminium wire-drawing applications	205 cSt
Pressol 520 FO	Low viscosity product designed for fin stamping applications	1.5 cSt , Non-Staining
MarCut B-40	Bespoke oil for multiple operations conducted on pen tips	4 cSt Non-Staining

QUENCHING OILS

Quencho 32 M	Normal speed Quenching oil for multiple applications	32 cSt , Normal
Quencho 22MF	Medium Fast Quenching oil Fortified with specialized additives for the desired performance	22 cSt , Medium-Fast



MACHINES LIFELINE

MARK Speciality (India) Pvt. Ltd.

CLEANERS


Cleaning Oil 2050	High performance hydrocarban based fluid for general purpose cleaning application	Clear Fluid , FP- 40°C
Cleaning Oil 2065	Effective cleaning solvent , Vanishing type for closed in door applications	Clear Fluid , FP- 45°C
Surfaclean Super	Water miscible alkaline cleaner , having excellent rust protection properties, non-foaming type	Aqueous cleaner

RUST PREVENTIVES


Rustino RP DW 175/172	Solvent based, thin film rust preventive with excellent de- watering characteristic .adequate coverage and excellent rust protection	2.0 ~ 3.5 cSt
Rustino RP DW 175T	De-Watering rust preventive, leaves a shining oily film on the surface, specially recommended in tube mills ,precision tubes & auto ancillaries	2.0 ~ 2.5 cSt
Rustino RP CR 2120	High end rust preventive with glossy film thickness , superior acid fume resistance. Recommended for CR sheet application.	2 ~3 cSt
Rustino RP CR 210	Solvent based, thin film rust preventive, recommended for auto ancillaries for long term protection	1.5 ~2 cSt
Rustino RP Gold 500/1000/1001	Rust preventives especially designed for Tube industries, applied by way of spray or brush for intermediate protection	10 ~15 cSt
Rustion RP DW 288 HF	High flash point thin film rust preventive for tube industries, auto anicillaries for comprehensive protection	2~3 cSt
Rustino RP OB 650	Oil Based rust preventive can be applied by way of dipping or brushing	32~36 cSt

MARK Speciality (India) Pvt. Ltd.

Performance at the Core



Neat cutting oil



Quenching oil



Rust preventive oil



Water miscible cutting oil



www.markspeciality.com



503 & 504, Chirag Indotech, 5th Floor, Road No. 16Z, Plot No. A-296, Wagle Industrial Estate, Thane (W), Maharashtra, Pin Code – 400604.

